	Application No.	Applicant(s)
AL CL. FAUL LING	10/646,865	IZAWA ET AL.
Notice of Allowability	Examiner	Art Unit
	Hoan H. Tran	2852
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>RCE filed 12/06/2004</u> .		
2. The allowed claim(s) is/are <u>1-36</u> .		
3. A The drawings filed on <u>06 December 2004</u> are accepted by the Examiner.		
 4.		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	te .
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	08), 7. ☐ Examiner's Amendr	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme 9. □ Other	ent of Reasons for Allowance

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under *Ex Parte Quayle*, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 12/06/2004 has been entered.

Drawings

2. The drawings were received on 12/06/2004. These drawings are acceptable.

Allowable Subject Matter

- 3. Claims 1-36 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

None of the prior art of record teaches or suggests a heat fixing apparatus comprising a bias control means that varies, in the case that recording materials on which unfixed toner images have been formed are consecutively fed, the bias voltage applied by the bias applying means gradually or stepwise while the recording materials are passing.

Prior Art

5. The prior art made of record and not relied upon is considered pertinent to applicant's

Art Unit: 2852

disclosure:

- Suzuki et al. ['978] disclose an induction heating type image heating device.

- Ogawa et al. ['445] disclose an image heating apparatus.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoan H. Tran whose telephoné number is (571) 272-2141. The examiner can normally be reached from 8:30 AM - 5:00 PM Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Arthur Grimley can be reached at (571) 272-2136. The central office fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

HHT

Jan. 24, 2005

HOANTRAN
PRIMARY EXAMINER